



Trusted Cooling Partner

COOLING SOLUTIONS YOU CAN TRUST ON



HARD TOP FREEZERS

Temperature Range : - +3°C To -25 °C
(Also Available in Copper)

Model No.: IHT-175 SD *



Net Volume (Ltrs.): 130 | Dimension (mm): 640 W x 640 D x 885 H

No. of Baskets: 1 | Insulation: 70 mm Polyurethane

Model No.: IHT-250 SD *



Net Volume (Ltrs.): 210 | Dimension (mm): 875 W x 640 D x 885 H

No. of Baskets: 1 | Insulation: 70 mm Polyurethane

Model No.: IHT-350 DD



Net Volume (Ltrs.): 305 | Dimension (mm): 1160 W x 640 D x 885 H

No. of Baskets: 1 | Insulation: 70 mm Polyurethane

HARD TOP FREEZERS

Temperature Range : - +3°C To -25 °C
(Also Available in Copper)

Model No.: IHT-450 DD



Net Volume (Ltrs.): 405 | Dimension (mm): 1460 W x 640 D x 885 H

No.of Baskets: 1 | Insulation: 70 mm Polyurethane

Model No.: IHT-550 DD



Net Volume (Ltrs.): 505 | Dimension (mm): 1760 W x 640 D x 885 H

No.of Baskets: 2 | Insulation: 70 mm Polyurethane

Model No.: IHT-650 TD



Net Volume (Ltrs.): 600 | Dimension (mm): 2045 W x 640 D x 885 H

No.of Baskets: 2 | Insulation: 70 mm Polyurethane

HARD TOP FREEZERS

Temperature Range : - +3°C To -25 °C
(Also Available in Copper)

Model No.: IHT-850 TD *



Net Volume (Ltrs.):	Dimension (mm):
750	2015 W x 750 D x 960 H

No.of Baskets:	Insulation:
2	70 mm Polyurethane

Model No.: IHT-1000 TD *



Net Volume (Ltrs.):	Dimension (mm):
900	2350 W x 750 D x 960 H

No.of Baskets:	Insulation:
2	70 mm Polyurethane

COMBI FREEZERS

Temperature Range : Freezer side- -15°C To -25 °C Cooler side- 2°C To 8 °C

Model No.: IFC-425 DD



Net Volume (Ltrs.):	Dimension (mm):
Freezer-172 LTR./ Cooler-208 LTR.	1460 W x 640 D x 885 H

No.of Baskets:	Insulation:
1	70 mm Polyurethane

Model No.: IFC-525 DD



Net Volume (Ltrs.):	Dimension (mm):
Freezer-230 LTR./ Cooler-265 LTR.	1760 W x 640 D x 885 H

No.of Baskets:	Insulation:
1	70 mm Polyurethane

GLASS TOP FREEZERS

Temperature Range : -12°C to -25°C

Model No.: IGT-350 FG *



Net Volume (Ltrs.): 330 | Dimension (mm): 1160 W x 640 D x 885 H

No. of Baskets: 1 | Insulation: 70 mm Polyurethane

Model No.: IGT-450 FG *



Net Volume (Ltrs.): 440 | Dimension (mm): 1460 W x 640 D x 885 H

No. of Baskets: 2 | Insulation: 70 mm Polyurethane

Model No.: IGT-550 FG *



Net Volume (Ltrs.): 550 | Dimension (mm): 1760 W x 640 D x 885 H

No. of Baskets: 3 | Insulation: 70 mm Polyurethane

— FREEZER ON WHEELS (GLYCOL) —

Temperature Range : -18°C to -30°C
Application : Ice Cream and Frozen Food Storage

Model No.: GLY-100



Net Volume (Ltrs.): 100 | Dimension (mm): 940 W x 635 D x 711 H

Door: 1 | Type: Tank in Tank

Model No.: GLY-200




Net Volume (Ltrs.): 200 | Dimension (mm): 990 W x 660 D x 812 H

Door: 2 | Type: Tank in Tank

Network

- Head Office & Manufacturing Plant-I, Dantali, Gandhinagar, Gujarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal
- Branch Offices, Dealers & Associates and Company Representatives



Head office:

226, Dantali Industrial Estate, Gota-Vadsar Road,
Nr. Ahmedabad City, At-Dantali, Ta: Kalol,
Dist.: Gandhinagar - 382721, Gujarat, India.

Ph.: +91 9879107881/884



Factory:

Super Industrial Park, Survey No. 246/2-262,
Bhayla - Sakodara Road, Dhanwada,
Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone

+91 95120 10324

South Zone

+91 95120 25583

North Zone

+91 95120 25401

ICE MAKE REFRIGERATION LIMITED

Commercial & Industrial Refrigeration Equipment Manufacturer & Exporter
An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.

www.icemakeindia.com